U.S. Army Corps of Engineers – Charleston District - Regulatory Division REQUEST FOR CORPS JURISDICTIONAL DETERMINATION (JD) / DELINEATION

(For Jurisdictional Status and Identifying Wetlands and Other Aquatic Resources)

The Regulatory Division is now offering paperless/electronic documents as a primary means of accepting project submittals and responding to requests. While electronic submittals are preferred, we will continue to accept paper documents that meet our file requirements in order to accommodate those with limited computer access. Depending on the project location, requests should be submitted to the appropriate office below. Please visit https://www.sac.usace.army.mil/Missions/Regulatory/Electronic-Submittals/ for additional information on electronic submittals.

Charleston Office: Columbia Office: Conway Office: 1949 Industrial Park Road, Room 140 Greenville Office: 750 Executive Center Dr, Suite 103 69A Hagood Avenue 1519 Taylor Street Columbia, SC 29201 Charleston, SC 29403 Conway, SC 29526 843-365-4239 Greenville, SC 29615 843-329-8044 803-253-3444 864-609-4326 SAC.RD.Charleston@usace.army.mil SAC.RD.Columbia@usace.army.mil SAC.RD.Conway@usace.army.mil SAC.RD.Greenville@usace.army.mil

I. PROPERTY AND AGENT INFORMATION

A. Site Details/Location:	
Site Name: Luck Edgefield	Date: November 27, 2023
City/Township/Parish: Clarks Hill	County: Edgefield
Latitude/Longitude: 33.6267N, -82.0951W	Acreage: 434.93
Tax Map Sequence (TMS) #(s): Portion of one Edgefield County TF	PN (Appendix C)
Property Address(es): North of Woodlawn Road	
	(survey, tax map, OR GPS coordinates). Tax maps may only be used if
	ed Checklist for information that should be submitted for a complete
and proper submittal.	
B. Requestor of Jurisdictional Determination/Delineation	on (if there are multiple property owners, please attach additional pages) Company Name (if applicable): Luck Companies
Address: Post Office Box 29682 Richmond, VA 23242	
	mail: markdwilliams@luckcompanies.com
Check one: I currently own this property I plan to	purchase this property Other:
C. Agent/Environmental Consultant Acting on Behalf of Consultant/Agent Name: Chris Daves, P.W.S. Company Name: S&ME, Inc.	of the Requestor (if applicable):
Address: 134 Suber Road Columbia, SC 29210	Phone: 803-561-9024
Email: cdaves@smeinc.com	
II DEACON FOR REQUEST (about all that apply).	
II. REASON FOR REQUEST (check all that apply):	
☐ I intend to construct/develop a project or perform activit	ties on this site which would be designed to avoid all aquatic resources.
☐ I intend to construct/develop a project or perform activit resources under Corps authority.	ties on this site which would be designed to avoid all jurisdictional aquatic
	ties on this site which may require authorization from the Corps, and the inimize impacts to jurisdictional aquatic resources and as an initial step in
	ies on this site which may require authorization from the Corps; this urisdictional determination is to be used in the permitting process.
☐ I intend to construct/develop a project or perform activit the tide.	ies in a navigable water of the U.S. which is subject to the ebb and flow of
$\hfill \square$ A Corps jurisdictional determination is required in order	to obtain my local/state authorization.
☐ I intend to contest jurisdiction over a particular aquatic not exist over the aquatic resource on the parcel.	resource and the request the Corps to confirm that jurisdiction does/does
$\hfill \square$ I believe that the site may be comprised entirely of dry	land.
Other:	

under the regulatory authorities referenced above.

Routine Uses: This information may be shared with the Department of Justice and other federal, state, and local government agencies, and the public, and may be made available as part of a public notice as required by federal law. Your name and property location where federal jurisdiction is to be determined will be included in the approved jurisdictional determination (AJD), which will be made available to the public on the District's website and on the Headquarters USACE website.

1

Disclosure: Submission of requested information is voluntary; however, if information is not provided, the request for an jurisdictional determination cannot be evaluated nor can a jurisdictional determination be issued.

^{*}Authorities: Rivers and Harbors Act, Section 10, 33 USC 403; Clean Water Act, Section 404, 33 USC 1344; Marine Protection, Research, and Sanctuaries Act, Section 103, 33 USC 1413; Regulatory Program of the U.S. Army Corps of Engineers; Final Rule for 33 CFR Parts 320-332.

Principal Purpose: The information that you provide will be used in evaluating your request to determine whether there are any aquatic resources within the project area subject to federal jurisdiction

III. TYPE OF REQUEST:

Delineation Concurrence (DC) - A DC provides concurrence that the delineated boundaries of wetlands on a property are a reasonable representation of the aquatic resources on-site. A DC does not address the jurisdictional status of the aquatic resources. (NOTE: A DC is generally the quickest type of standalone request for the Corps to review and process.)

2Approved - An AJD is defined in Corps regulations at 33 CFR 331.2. As explained in further detail in RGL 16-01, an AJD is used to indicate that this office has identified the presence or absence of wetlands and/or other aquatic resources on a site, including their accurate location(s) and boundaries, as well as their jurisdictional status. AJDs are valid for 5 years.

³Preliminary – A PJD is defined in Corps regulations at 33 CFR 331.2. As explained in further detail in RGL 16-01, a PJD is used to indicate that this office has identified the approximate location(s) and boundaries of wetlands and/or other aquatic resources on a site that are presumed to be subject to regulatory jurisdiction of the Corps of Engineers. Unlike an AJD, a PJD does not represent a definitive, official determination that there are, or that there are not, jurisdictional aquatic resources on a site, and does not have an expiration date.

4 "No Permit Required" (NPR) Letter- A NPR letter may be provided by the Corps to notify the requestor that an activity will not require a permit (authorization) from the Corps; this letter can only be used if the proposed activity is not a regulated activity, regardless of where the activity may occur. A NPR letter cannot be used to indicate the presence or absence of wetlands and/or other aquatic resources, nor can it be used to determine their jurisdictional status.

NOTE 1: Pre-approved Delineations and/or JDs are NOT a pre-requisite for submitting a DA permit application. Requests for JDs and/or DCs that are not associated with a DA permit application (Standalone Delineation / JD requests) will be reviewed and processed as time allows and based on available resources.

NOTE 2: Although not a requirement, it is recommended that Standalone requests be prepared and submitted by an environmental

consultant to expedite the review process.	
Select the Appropriate Request:	
☐ Pre-Construction Notification or Department of the Army	permit application
with Delineation only (no written concurrence of delinea	ation)
☐ with Delineation Concurrence¹	
☐ with Preliminary Jurisdictional Determination (PJD) ³	
☐ with Approved Jurisdictional Determination (AJD) ²	
■ Standalone Delineation / Jurisdictional Determination Standalone Delineation / Jurisdictional Determination requests will be reviewed. ■ Delineation Concurrence¹	and processed as time allows and based on available resources.
☐ Preliminary Jurisdictional Determination (PJD) ³	
☐ Approved Jurisdictional Determination (AJD) ²	
(typically 1 acre or less). ☐ with the attached Pre-Construction Notification or Depa (This may delay processing times. The review of the permit application will r ☐ with a Delineation Only, an AJD or PJD ☐ "No Permit Required" (NPR) Letter as I believe my proposed ☐ Unclear and require additional information to inform my decisi IV. LEGAL RIGHT OF ENTRY By signing below, I am indicating that I have the authority, or am a authority, to and do hereby grant U.S. Army Corps of Engineers p this request for the purposes of conducting on-site investigations (ivate property owners for minor actions. Due to current workload and this service on a limited basis for private individuals on small tracts of land rtment of the Army permit application not start until the delineation has been completed by the Corps.) d activity is not regulated ⁴
determination on the properties subject to this request.	
Post Office Box 29682 Richmond, VA 23242	Portion of one Edgefield County TPN (Appendix C)
Mailing Address	Property Address / TMS #(s)
markdwilliams@luckcompanies.com	804-476-6406
Email Address	Daytime Phone Number
*Ci	Mark Williams, Environmental Manager
*Signature: *Authorities: Rivers and Harbors Act. Section 10: 33 USC 403: Clean Water Act. Section 404: 33 U	Printed Name and Date
"Authorities: Rivers and Harbors Act. Section 10, 33 USC 403; Clean Water Act. Section 404, 33 U	INCLUSION MARINE Protection, Research, and Sanctuaries Act. Section

'Autonties: Rivers and Harbors Act, Section 10, 33 USC 403; Clean water Act, Section 404, 33 USC 1344; Marine Protection, Research, and Sanctuaries Act, Section 103, 33 USC 1413; Regulatory Program of the U.S. Army Corps of Engineers; Final Rule for 33 CFR Parts 320-332.

Principal Purpose: The information that you provide will be used in evaluating your request to determine whether there are any aquatic resources within the project area subject to federal jurisdiction

under the regulatory authorities referenced above.

Routine Uses: This information may be shared with the Department of Justice and other federal, state, and local government agencies, and the public, and may be made available as part of a public notice as required by federal law. Your name and property location where federal jurisdiction is to be determined will be included in the approved jurisdictional determination (AJD), which will be made available to the public on the District's website and on the Headquarters USACE website.

2

Disclosure: Submission of requested information is voluntary; however, if information is not provided, the request for an jurisdictional determination cannot be evaluated nor can a jurisdictional

determination be issued.



November 27, 2023

U.S. Army Corps of Engineers Columbia Regulatory Office 1519 Taylor Street Columbia, SC 29201

Attention: Columbia Regulatory Project Manager

Reference: Request for Jurisdictional Determination

Luck Edgefield

Clarks Hill, Edgefield County, South Carolina

S&ME Project No. 22350640

Dear Regulatory Project Manager:

On behalf of Luck Companies, S&ME, Inc. (S&ME) has completed a Wetland Delineation at the above-referenced project area (site). The approximate 434.93-acre site consists of a portion of one Edgefield County TPN (058-00-00-039-000), currently owned by Wilkie Development, LLC (**Appendix C**). The site is located north of Woodlawn Road near Clarks Hill, Edgefield County, South Carolina.

The site consists of wooded land, cutover land, and a utility easement. We are seeking a Delineation Concurrence (DC) for the site.

Wetland Delineation

On January 10, 12, and 17, 2023 and February 21, 2023, S&ME Biologists Chris Daves, P.W.S., Chris Handley, and Will Trotter conducted the Wetland Delineation. The following features were observed (see **Appendix A** for mapping and representative site photographs):

- 16 Wetlands
- 17 Non-Wetland Waters (Tributaries)
- 35 Non-Aquatic Resources (Ephemeral Drainages/Swales/Gullies)

Wetlands

Sixteen (16) wetlands (1.976 acres) were observed on the site (Photographs 1-8). The wetlands are classified as palustrine forested (PFO) and Palustrine Emergent (PEM), riparian, seepage, and headwater wetlands.

Non-Wetland Waters (Tributaries)

Seventeen (17) tributaries (21,522 linear feet (lf)/1.815 acres) were observed on the site (Photographs 9-16). The tributaries are classified as perennial and seasonal. The tributaries had varied widths (2-12 feet) and a mixture of sand, cobble, and boulder substrates.



Request for Jurisdictional Determination Luck Edgefield

Clarks Hill, Edgefield County, South Carolina S&ME Project No. 22350640

Non-Aquatic Resources (Ephemeral Drainages)

Thirty-five (35) ephemeral drainages/swales/gullies (13,189 lf) were observed on the site (Photographs 17-24)

In summary, the site contains approximately **3.791 acres** of Aquatic Resources.

Uplands

Upland areas on the site consist of cutover land, mixed hardwoods, pine-mixed hardwoods, and open areas/utility easement. These portions of the site consist of the non-hydric soil series Cataula, Cecil, Cecil-Cataula Complex, Cecil-Pacolet Complex, and Wateree as listed in the Soil Survey of Edgefield County, South Carolina, and the U.S. Department of Agriculture - Natural Resources Conservation Service (USDA-NRCS) Web Soil Survey (Exhibit 4 – Soils Exhibit). Wetland vegetation, hydric soils, or hydrology were not observed in the upland areas.

♦ Enclosures

Attached in Appendices A-D, please find the following information for your review:

Appendix A

Exhibit 1 - Vicinity Exhibit, Exhibit 2 - Topographic Exhibit, Exhibit 3 - Aerial Exhibit, Exhibit 4 - Soils Exhibit, Exhibit 5 - NWI Exhibit, Exhibit, Exhibit, Site Photographs

Appendix B

Wetland/Upland Data Forms

Appendix C

Owner Information

Appendix D

Antecedent Precipitation Tool

November 27, 2023 2



Request for Jurisdictional Determination Luck Edgefield

Clarks Hill, Edgefield County, South Carolina S&ME Project No. 22350640

Closing

Thank you for your time and attention to this project. If we can provide additional information, please do not hesitate to contact us at 803-561-9024.

Sincerely,

S&ME

Chris Handley Biologist


chandley@smeinc.com

Chris Daves, P.W.S. Senior Scientist

Chris Daves


cdaves@smeinc.com


November 27, 2023 3





Appendix A


Exhibits and Site Photographs






























Site Photographs Luck Edgefield Clarks Hill, Edgefield County, South Carolina


S&ME Project 22350640

Taken by: CD/CH/WT

Wetland P.


1/10, 1/12, 1/17 and 2/21, 2023


















Appendix B

Wetland/Upland Data Forms

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Luck Edgefield		City/County: Clarks Hill/Edge	field Sampling Dat	e: 10-Jan-23
Applicant/Owner: Luck Companies	s	State: State:	Sampling Point:	WET C-UP
Investigator(s): Chris Daves, P.W.	.SS&ME, Inc.	Section, Township, Range: S	б <u>т</u> т	R
Landform (hillslope, terrace, etc.):	: Hillslope	Local relief (concave, convex,	none): concave Slope:	: <u>0.0%</u> / <u>0.0</u> °
Subregion (LRR or MLRA): MLR	RA 136 in LRR P	 Lat.: 33.6323	ng.: -82.0947	Datum: NAD83
Soil Map Unit Name: Toccoa San	ndy Loam (To)		NWI classification: Uplar	nd
Are climatic/hydrologic conditions	s on the site typical for this time	of year? Yes No (If no	o, explain in Remarks.)	
Are Vegetation, Soil	, or Hydrology signifi	icantly disturbed? Are "Norma	Il Circumstances" present?	es 💿 No 🔾
Are Vegetation $\ \ \ \ \ \ \ \ \ \ $, Soil $\ \ \ \ \ \ \ $, or Hydrology 🗌 natura	ally problematic? (If needed,	explain any answers in Remarks.	.)
Summary of Findings - I	Attach site map showir	ng sampling point location	ns, transects, important	t features, etc.
Hydrophytic Vegetation Present?				
Hydric Soil Present?	Yes O No 💿	Is the Sampled Area	Yes ○ No ●	
Wetland Hydrology Present?	Yes O No 💿	within a Wetland?	165 6 116 6	
Data point taken outside of the	eage or wedand D.			
Hydrology				
Wetland Hydrology Indicators:			Secondary Indicators (minimum of	two required)
Primary Indicators (minimum of	f one required; check all that app	oly)	Surface Soil Cracks (B6)	
Surface Water (A1)	☐ True Aquatic	` ,	Sparsely Vegetated Concave Su	ırface (B8)
High Water Table (A2)		lfide Odor (C1)	Drainage Patterns (B10)	
Saturation (A3) Water Marks (B1)		cospheres along Living Roots (C3)	Moss Trim Lines (B16)	
Sediment Deposits (B2)		Reduced Iron (C4) Reduction in Tilled Soils (C6)	☐ Dry Season Water Table (C2) ☐ Crayfish Burrows (C8)	
Drift deposits (B3)	☐ Thin Muck Su		Saturation Visible on Aerial Ima	agery (C9)
Algal Mat or Crust (B4)		n in Remarks)	Stunted or Stressed Plants (D1)	• , . ,
☐ Iron Deposits (B5)		·····-/	Geomorphic Position (D2)	
Inundation Visible on Aerial Imag	gery (B7)		Shallow Aquitard (D3)	
Water-Stained Leaves (B9)			Microtopographic Relief (D4)	
Aquatic Fauna (B13)			FAC-neutral Test (D5)	
Field Observations: Surface Water Present? Yes	O No Depth (inch	es):		
Water Table Present? Yes	O O	·		
	-1 (Wetland Hyd	Irology Present? Yes O	No 💿
(includes capillary fringe) Yes				
Describe Recorded Data (stream	gauge, monitoring well, aerial p	photos, previous inspections), if ava	ilable:	
Domaylor				
Remarks:	hoomind			
Hydrology indicators were not ob	bserved.			

VEGETATION (Five/Four Strata)- Use scientific names of plants.

			ecies? -		Sampling Point: WET C-UP			
	Absolute	Re	l.Strat.	Indicator	Dominance Test worksheet:			
Tree Stratum (Plot size: <u>30-ft.</u>)	% Cover	Co	ver	Status				
1 _ Liquidambar styraciflua	50	~	100.0%	FAC	Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)			
2.			0.0%					
3			0.0%		Total Number of Dominant Species Across All Strata: 5 (B)			
4	_		0.0%		Species Across Air Strata.			
5			0.0%		Percent of dominant Species			
		\Box	0.0%		That Are OBL, FACW, or FAC: 60.0% (A/B)			
6		H-	0.0%		Burnelous Fudermodules de			
7		H-			Prevalence Index worksheet:			
8		Ш_	0.0%		Total % Cover of: Multiply by:			
Sapling-Sapling/Shrub Stratum (Plot size: 15-ft.	50	= To	tal Cover		OBL species x 1 =			
1 Ilex opaca	15	~	50.0%	FACU	FACW species $0 \times 2 = 0$			
Carpinus caroliniana		<u> </u>	50.0%	FAC	FAC species $70 \times 3 = 210$			
 -			0.0%		FACU species $25 \times 4 = 100$			
3			0.0%		UPL species $0 \times 5 = 0$			
4					Column Totals: 95 (A) 310 (B)			
5	_	<u> </u>	0.0%					
6		Н-	0.0%		Prevalence Index = B/A = 3.263			
7	0	Ц-	0.0%		Hydrophytic Vegetation Indicators:			
8	0	Ш_	0.0%		Rapid Test for Hydrophytic Vegetation			
9	0		0.0%		✓ Dominance Test is > 50%			
10	0		0.0%		Prevalence Index is ≤3.0 ¹			
		= To	tal Cover					
Shrub Stratum (Plot size: 15-ft.)	10	✓	100.0%	EACH	Morphological Adaptations 1 (Provide supporting data in Remarks or on a separate sheet)			
1. <u>Ligustrum sinense</u>				FACU	Problematic Hydrophytic Vegetation ¹ (Explain)			
2		⊢-	0.0%					
3		Н-	0.0%		Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.			
4	0	\square_{-}	0.0%					
5	0		0.0%		Definition of Vegetation Strata:			
6	0		0.0%		Four Vegetation Strata:			
7			0.0%		Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH),			
Herb Stratum (Plot size: <u>5-ft.</u>)		= To	tal Cover		regardless of height.			
			0.00/	FACIAL	Sapling/shrub stratum – Consists of woody plants, excluding			
1. Arundinaria gigantea		<u> </u>	0.0%	FACW	vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.			
2		Н-	0.0%		Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.			
3	0	Н-	0.0%		• · · · · · · · · · · · · · · · · · ·			
4	0	\sqcup	0.0%		Woody vines – Consists of all woody vines greater than 3.28 ft in height.			
5	0	\sqcup _	0.0%					
6	0	\sqcup _	0.0%		Five Vegetation Strata:			
7	0		0.0%		Tree - Woody plants, excluding woody vines, approximately 20			
8	0		0.0%		ft (6 m) or more in height and 3 in. (7.6 cm) or larger in			
9	0		0.0%		diameter at breast height (DBH).			
10			0.0%		Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less			
11	0	\Box	0.0%		than 3 in. (7.6 cm) DBH.			
12	0	$\overline{\Box}$	0.0%		Shrub stratum – Consists of woody plants, excluding woody			
		 = Tot	tal Cover		vines, approximately 3 to 20 ft (1 to 6 m) in height.			
Woody Vine Stratum (Plot size: <u>30-ft.</u>)			tai covei		Herb stratum – Consists of all herbaceous (non-woody) plants,			
1. Vitis rotundifolia	5	✓	100.0%	FAC	including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1			
2	0_		0.0%		m) in height.			
3	0		0.0%		Woody vines – Consists of all woody vines, regardless of			
4	0		0.0%		height.			
5	0		0.0%					
	0		0.0%		Hydrophytic Vegetation			
6	- <u>- U</u> - 5		tal Cove		Present? Yes No			
		- 10	cai Cove					
Remarks: (Include photo numbers here or on a separate shee Hydrophytic vegetation was observed.	et.)							

Soil Sampling Point: WET C-UP

Profile Descr		the depth				nfirm the a	absence of indicators.)	
Depth	Matrix			lox Featu	res 1		_	
(inches)	Color (moist)		Color (moist)	%	Type 1	Loc2	Texture	Remarks
1-10	10YR 5/4	_ 100					Loamy Clay	
10-20	10YR 5/6	100					Loamy Clay	
	-						-	
							<u>-</u>	
-								
¹ Type: C=Con	centration. D=Depletion	on. RM=Red	uced Matrix, CS=Covere	d or Coate	ed Sand Gra	ains ² Loca	tion: PL=Pore Lining. M=M	atrix
Hydric Soil 1	Indicators:						Indicators for Proble	ematic Hydric Soils ³ :
Histosol (A1)		Dark Surface (S	57)			2 cm Muck (A10)	
Histic Epi	pedon (A2)		Polyvalue Belov	/ Surface ((S8) (MLRA	147,148)		
Black Hist	tic (A3)		Thin Dark Surfa	ce (S9) (M	ILRA 147, 1	148)	Coast Prairie Red (MLRA 147,148)	OX (A16)
Hydrogen	Sulfide (A4)		Loamy Gleyed I	Matrix (F2))		Piedmont Floodpl	ain Soils (F19)
Stratified	Layers (A5)		Depleted Matrix	(F3)			(MLRA 136, 147)	
2 cm Muc	k (A10) (LRR N)		Redox Dark Sur	face (F6)			Very Shallow Dar	k Surface (TF12)
Depleted	Below Dark Surface (A	A11)	Depleted Dark	Surface (F	7)		Other (Explain in	Remarks)
☐ Thick Dar	k Surface (A12)		Redox Depressi	ons (F8)			_ 、,	•
Sandy Mu MLRA 147	ıck Mineral (S1) (LRR I 7, 148)	N,	Iron-Manganes MLRA 136)	e Masses (F12) (LRR	N,		
	eyed Matrix (S4)		Umbric Surface	(F13) (ML	RA 136, 12	22)	_	
Sandy Re			☐ Piedmont Flood	lplain Soils	(F19) (ML	RA 148)	³ Indicators of	hydrophytic vegetation and drology must be present,
	Matrix (S6)		Red Parent Mat	erial (F21)	(MLRA 12	7, 147)		sturbed or problematic.
Destriction I	('6 - b b)							
Type:	ayer (if observed):							
							Hydric Soil Present?	Yes O No 💿
Depth (inc	nes):						-	
Remarks:								
Hydric soil in	dicators were not o	bserved.						

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Luck Edgefield		City/County: Clarks Hill/Edge	efield Sampling Date: 10-Jan-23
Applicant/Owner: Luck Companie	25	State: S	SC Sampling Point: WET C-WET
Investigator(s): Chris Daves, P.W	/.SS&ME, Inc.	Section, Township, Range:	S T R
Landform (hillslope, terrace, etc.)	Based of hillslope	Local relief (concave, convex,	none): concave Slope: 0.0% / 0.0
Subregion (LRR or MLRA): MLF		33.6323 Lo	ong.: -82.0948
Soil Map Unit Name: Toccoa Sar		33.0323	NWI classification: Upland
	s on the site typical for this time of ye	ear? Yes No (If no	o, explain in Remarks.)
Are Vegetation , Soil		•	al Circumstances" present? Yes No
			#
Are Vegetation, Soil	, or Hydrology	roblematic? (If needed	, explain any answers in Remarks.)
Summary of Findings -	Attach site map showing s	ampling point locatio	ns, transects, important features, etc
Hydrophytic Vegetation Present?	? Yes No		
Hydric Soil Present?	Yes No	Is the Sampled Area	Yes No
Wetland Hydrology Present?	Yes No	within a Wetland?	res © NO O
Remarks:			
Data point taken on edge of We	etland D in Floodplain.		
Hydrology			
Wetland Hydrology Indicators:			Secondary Indicators (minimum of two required)
Primary Indicators (minimum of	f one required; check all that apply)		Surface Soil Cracks (B6)
Surface Water (A1)	True Aquatic Plants	s (B14)	Sparsely Vegetated Concave Surface (B8)
High Water Table (A2)	Hydrogen Sulfide C	` '	Drainage Patterns (B10)
Saturation (A3)		eres along Living Roots (C3)	Moss Trim Lines (B16)
Water Marks (B1)	Presence of Reduc		Dry Season Water Table (C2)
Sediment Deposits (B2)		tion in Tilled Soils (C6)	Crayfish Burrows (C8)
Drift deposits (B3)	Thin Muck Surface	(C7)	Saturation Visible on Aerial Imagery (C9)
Algal Mat or Crust (B4)	Other (Explain in R	lemarks)	Stunted or Stressed Plants (D1)
Iron Deposits (B5)			✓ Geomorphic Position (D2)
Inundation Visible on Aerial Ima	igery (B7)		Shallow Aquitard (D3)
✓ Water-Stained Leaves (B9)			Microtopographic Relief (D4)
Aquatic Fauna (B13)			FAC-neutral Test (D5)
Field Observations: Surface Water Present? Yes	Depth (inches):		
Water Table Present? Yes			
	-1 ()	Wetland Hy	drology Present? Yes No
(includes capillary fringe) Yes	No Depth (inches):	6	
Describe Recorded Data (stream	n gauge, monitoring well, aerial photo	s, previous inspections), if ava	ailable:
Remarks:			
Hydrology indicators were obser	rved.		

VEGETATION (Five/Four Strata)- Use scientific names of plants.

		Dominan Species?		Sampling Point: <u>WET C-WET</u>			
Tree Stratum (Plot size: _30-ft.)	Absolute % Cover	Rel.Strat		300000000000000000000000000000000000000			
1. Liquidambar styraciflua	50	71.4%	6 FAC	Number of Dominant Species That are OBL, FACW, or FAC: 8 (A)			
2. Platanus occidentalis	20	28.6%	6 FACW	T. IN			
3	0	0.0%	<u> </u>	Total Number of Dominant Species Across All Strata: 9 (B)			
4		0.0%					
5		0.0%		Percent of dominant Species That Are OBL FACW or FAC: 88.9% (A/B)			
6		0.0%		That Are OBL, FACW, or FAC: 88.9% (A/B)			
7	0	0.0%		Prevalence Index worksheet:			
8	0	0.0%		Total % Cover of: Multiply by:			
(District 15 ft	,	= Total Cov	er er	OBL species			
Sapling-Sapling/Shrub Stratum (Plot size: 15-ft.		27.50		FACW species60 x 2 =120			
1 Ulmus americana		37.5%		FAC species <u>80</u> x 3 = <u>240</u>			
2 Liquidambar styraciflua		✓ 37.5% ✓ 25.0%		FACU species $5 \times 4 = 20$			
3. Acer rubrum				UPL species $0 \times 5 = 0$			
4		0.0%					
5		0.0%		Column Totals: <u>145</u> (A) <u>380</u> (B)			
6				Prevalence Index = B/A =			
7				Hydrophytic Vegetation Indicators:			
8				Rapid Test for Hydrophytic Vegetation			
9				✓ Dominance Test is > 50%			
0	0	0.0%		✓ Prevalence Index is ≤3.0 ¹			
Shrub Stratum (Plot size: 15-ft.)	40	= Total Cov	rer er	Morphological Adaptations ¹ (Provide supporting			
1 Ligustrum sinense	5	100.00	% FACU	data in Remarks or on a separate sheet)			
2	0	0.0%		Problematic Hydrophytic Vegetation ¹ (Explain)			
3.		0.0%		¹ Indicators of hydric soil and wetland hydrology must			
4		0.0%	,	be present, unless disturbed or problematic.			
5		0.0%	,	Definition of Vegetation Strata:			
6		0.0%		Four Vegetation Strata:			
7		0.0%		Tree stratum – Consists of woody plants, excluding vines, 3 in			
Herb Stratum (Plot size: <u>5-ft.</u>)		= Total Cov		(7.6 cm) or more in diameter at breast height (DBH), regardless of height.			
 .	20	✓ 100.0°	V FACIAL	Sapling/shrub stratum – Consists of woody plants, excluding			
1 _ Arundinaria gigantea	0	0.0%		vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.			
2				Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.			
3		0.0%		Woody vines – Consists of all woody vines greater than 3.28 ft			
4		0.0%		in height.			
5		0.0%					
6		0.0%		Five Vegetation Strata:			
7		$\overline{}$		Tree - Woody plants, excluding woody vines, approximately 20			
8		0.0%		ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).			
9		0.0%		Sapling stratum – Consists of woody plants, excluding woody			
0		0.0%		vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.			
1		0.0%		Shrub stratum – Consists of woody plants, excluding woody			
2	0			vines, approximately 3 to 20 ft (1 to 6 m) in height.			
Woody Vine Stratum (Plot size: <u>30-ft.</u>)		= Total Cov	rer	Herb stratum – Consists of all herbaceous (non-woody) plants,			
1 Berchemia scandens	5	50.0%	6 FACW	including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1			
2. Vitis rotundifolia	5	50.0%	6 FAC	m) in height.			
3	0	0.0%	<u> </u>	Woody vines – Consists of all woody vines, regardless of			
4	0	0.0%	<u> </u>	height.			
5	0	0.0%		Hydrophytic			
6	0	0.0%		Hydrophytic Vegetation			
· · · · · · · · · · · · · · · · · · ·	10	= Total Co	ver	Present? Yes No			

Soil Sampling Point: WET C-WET

Profile Descri	ption: (Describe to	the depth ne	eded to document	the indica	ator or co	nfirm the a	absence of indicators.)	
Depth Matrix Redox Features								
(inches)	Color (moist)		Color (moist)	%	Tvpe 1	Loc2	Texture	Remarks
1-20	10YR 5/2	80	10YR 5/6	20	C	M	Loamy Clay	
				-			-	
¹ Type: C=Cond	centration. D=Depletion	n. RM=Reduce	d Matrix, CS=Covere	d or Coate	d Sand Gra	ins ² Locat	tion: PL=Pore Lining. M=Ma	trix
Hydric Soil I	ndicators:						Indicators for Proble	matic Hydric Soils ³ :
Histosol (A	A1)		Dark Surface (S	57)			2 cm Muck (A10) (
Histic Epip	edon (A2)		Polyvalue Belov	v Surface (S8) (MLRA	147,148)		•
☐ Black Histi	c (A3)		Thin Dark Surfa	ce (S9) (M	LRA 147, 1	48)	Coast Prairie Redo: (MLRA 147,148)	x (A16)
Hydrogen	Sulfide (A4)		Loamy Gleyed I	Matrix (F2)				in Caila (F10)
Stratified I	_ayers (A5)		✓ Depleted Matrix				Piedmont Floodpla (MLRA 136, 147)	in Solis (F19)
2 cm Muck	(A10) (LRR N)		Redox Dark Sur				Very Shallow Dark	Surface (TF12)
	Below Dark Surface (A:	11)	Depleted Dark	Surface (F7	7)			
	Surface (A12)	/	Redox Depressi		,		Other (Explain in R	ternarks)
	ck Mineral (S1) (LRR N		☐ Iron-Manganes	. ,	F12) (LRR I	٧.		
MLRA 147	, 148)	,	MLRA 136)		, (,		
Sandy Gle	yed Matrix (S4)		Umbric Surface	(F13) (ML	RA 136, 12	2)	2	
Sandy Red			☐ Piedmont Flood	lplain Soils	(F19) (MLF	RA 148)	³ Indicators of h	ydrophytic vegetation and
Stripped M			Red Parent Mat	erial (F21)	(MLRA 12	7, 147)		ology must be present, curbed or problematic.
	. ,			,	`	, ,		
Restrictive La	yer (if observed):							
Type:							Under Call Barrens	v
Depth (inch	nes):						Hydric Soil Present?	Yes No
Remarks:								
Hydric soils w	ere observed.							

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Luck Edgefield			City/County:	Clarks Hill/Edge	field	Sampling	Date: 17-3	Jan-23
Applicant/Owner: Luck Companies				State: So	С	Sampling Point:	W	ET F-UP
Investigator(s): Chris Daves, P.W.S.	-S&ME, Inc.	:	Section, Town	nship, Range: S	3	т	R	
Landform (hillslope, terrace, etc.):	Hillslope	Lo	ocal relief (co	ncave, convex,	none):	S	lope: 0.0)%_ / _{0.0} °
Subregion (LRR or MLRA): MLRA	. 136 in LRR F	Lat.: 3	3 6218	Lo	 ng.: -82.09	 958		m: NAD83
Soil Map Unit Name: Wateree San	dv Loam (We		5.0220			classification:		
Are climatic/hydrologic conditions o			? Yes 💿	No (If no	o, explain in	_	<u></u>	
Are Vegetation, Soil	or Hydrolo,			•		nces" present?	Yes 💿	No O
	•					•		
Are Vegetation, Soil	, or Hydrolo					answers in Rema	-	_
Summary of Findings - At			mpling po	int location	ns, trans	ects, import	ant feat	tures, etc.
Hydrophytic Vegetation Present?		No O						
Hydric Soil Present?		No •	Is the	Sampled Area a Wetland?	Yes O N	lo 💿		
Wetland Hydrology Present?	Yes O	No •	WICHIII	a wedanur				
Remarks:		_						
Data point taken outside the edge	of Wetland	G.						
Hydrology								
Wetland Hydrology Indicators:	no roquirod:	chack all that apply)				Indicators (minimus	m of two rea	ıuired)
Primary Indicators (minimum of o Surface Water (A1)	ne requirea;	True Aquatic Plants (I	D14\			e Soil Cracks (B6)	Cfa.a. (1	DO)
High Water Table (A2)		Hydrogen Sulfide Odd	-			ly Vegetated Conca ge Patterns (B10)	ve Surrace (i	38)
Saturation (A3)		Oxidized Rhizosphere	. ,	Poots (C3)				
Water Marks (B1)		Presence of Reduced		(0013 (C3)				
Sediment Deposits (B2)		Recent Iron Reduction	` '	(C6)		h Burrows (C8)	-2)	
Drift deposits (B3)		☐ Thin Muck Surface (C		(60)		tion Visible on Aeria	l Imagery (C	.9)
Algal Mat or Crust (B4)		Other (Explain in Rem	•			d or Stressed Plants		,
☐ Iron Deposits (B5)		Other (Explain in Ken	idi K3)			orphic Position (D2)	()	
☐ Inundation Visible on Aerial Image	ry (B7)					v Aquitard (D3)		
☐ Water-Stained Leaves (B9)					Microto	opographic Relief (D	94)	
Aquatic Fauna (B13)						eutral Test (D5)	,	
Field Observations:								
Surface Water Present? Yes	○ No ●	Depth (inches):						
Water Table Present? Yes	O No ●	Depth (inches):						
Saturation Present? (includes capillary frings) Yes	No ●	Depth (inches):		Wetland Hyd	Irology Pres	ent? Yes 🔾	No 💿	
(includes capillary fringe) Describe Recorded Data (stream g			nrevious inst	ections) if ava	ilahle:			
Describe Recorded Data (stream g	auge, monito	ing wen, denai priotos,	previous irisp	eccions), ii ava	illable.			
Remarks:								
Hydrology indicators were not obs	erved							
Tryarology maleators were not obs	c. rea.							

VEGETATION (Five/Four Strata)- Use scientific names of plants.

	Sampling Point: WETF-UP						
	Absolute		Indicator	Dominance Test worksheet:			
Tree Stratum (Plot size: <u>30-ft.</u>)	% Cover	Cover	Status	Newskay of Bassissant Couries			
1. Pinus taeda	25	✓ _ 55.6%	FAC	Number of Dominant Species That are OBL, FACW, or FAC:			
2 Liquidambar styraciflua	20	✓ 44.4%	FAC				
3	0	0.0%		Total Number of Dominant			
		0.0%		Species Across All Strata: 6 (B)			
4.				Percent of dominant Species			
5	0			That Are OBL, FACW, or FAC: 66.7% (A/B)			
6	0			That the obly them, of the			
7	0	0.0%		Prevalence Index worksheet:			
8.		0.0%		Total % Cover of: Multiply by:			
	45	= Total Cover		OBL species			
Sapling-Sapling/Shrub Stratum (Plot size: 15-ft.)			<u> </u>			
1 Fagus grandifolia	10	✓ 50.0%	FACU	FACW species $0 \times 2 = 0$			
2. Carpinus caroliniana	10	50.0%	FAC	FAC species $\underline{60}$ x 3 = $\underline{180}$			
		0.0%		FACU species $20 \times 4 = 80$			
3				UPL species $0 \times 5 = 0$			
4				'			
5	0	0.0%		Column Totals: <u>80</u> (A) <u>260</u> (B)			
6	0			Prevalence Index = $B/A = 3.250$			
7	0	0.0%		, <u> </u>			
	_	0.0%		Hydrophytic Vegetation Indicators:			
8				Rapid Test for Hydrophytic Vegetation			
9				✓ Dominance Test is > 50%			
10	0			Prevalence Index is ≤3.0 ¹			
Shrub Stratum (Plot size: <u>15-ft.</u>)	20	= Total Cover		Morphological Adaptations ¹ (Provide supporting			
1	0	0.0%		data in Remarks or on a separate sheet)			
		0.0%		Problematic Hydrophytic Vegetation ¹ (Explain)			
2							
3	0			Indicators of hydric soil and wetland hydrology must			
4	0	0.0%		be present, unless disturbed or problematic.			
5	0	0.0%		Definition of Vegetation Strata:			
6.		0.0%		Four Vegetation Strata:			
		0.0%		Tree stratum – Consists of woody plants, excluding vines, 3 in.			
7				(7.6 cm) or more in diameter at breast height (DBH),			
Herb Stratum (Plot size: 5-ft.)	0	= Total Cover		regardless of height.			
1. Polystichum acrostichoides	10	✓ 100.0%	FACU	Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.			
2.		0.0%		Herb stratum – Consists of all herbaceous (non-woody) plants,			
	0	0.0%		regardless of size, and all other plants less than 3.28 ft tall.			
3		=		Woody vines – Consists of all woody vines greater than 3.28 ft			
4				in height.			
5	0						
6	0	0.0%		Five Vegetation Strata:			
7	0	0.0%					
8	_	0.0%		Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in			
		0.0%		diameter at breast height (DBH).			
9				Sapling stratum – Consists of woody plants, excluding woody			
10				vines, approximately 20 ft (6 m) or more in height and less			
11	0	0.0%		than 3 in. (7.6 cm) DBH.			
12	0	0.0%		Shrub stratum – Consists of woody plants, excluding woody			
W L W Gr . (Plot size) 20 ft	10	= Total Cover		vines, approximately 3 to 20 ft (1 to 6 m) in height.			
Woody Vine Stratum (Plot size: <u>30-ft.</u>)			F4.0	Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody			
1. Vitis rotundifolia		100.0%	FAC	species, except woody vines, less than approximately 3 ft (1			
2	0	0.0%		m) in height.			
3	0			Woody vines – Consists of all woody vines, regardless of			
4	0	0.0%		height.			
		0.0%					
5				Hydrophytic			
6		0.0%		Vegetation Present? Yes No			
	5	= Total Cover	<u>' </u>	Fledenti 199			
Remarks: (Include photo numbers here or on a separate she	et.)						
Hydrophytic vegetation was observed.	,						
Transpirate regetation mas observed.							

Soil Sampling Point: WET F-UP

Profile Descr		the depth				nfirm the a	absence of indicators.)	
Depth	Matrix			lox Featu	res 1		·	
(inches) 1-6	Color (moist) 10YR 5/3		Color (moist)	%	Tvpe 1	Loc²	Texture	Remarks
-			-	-			Loamy Sand	_
6-20	10YR 5/4	100					Sandy Loam	
	-						-	
								_
					-			
¹ Type: C=Con	centration. D=Depletion	on. RM=Red	uced Matrix, CS=Covere	d or Coate	ed Sand Gra	ains ² Loca	tion: PL=Pore Lining. M=1	Matrix
Hydric Soil I	Indicators:						Indicators for Prob	lematic Hydric Soils ³ :
Histosol (A1)		Dark Surface (S	57)			2 cm Muck (A10	-
Histic Epi	pedon (A2)		Polyvalue Belov	v Surface (S8) (MLRA	147,148)		
Black Hist	tic (A3)		Thin Dark Surfa	ice (S9) (M	ILRA 147, 1	148)	Coast Prairie Red (MLRA 147,148)	
Hydrogen	Sulfide (A4)		Loamy Gleyed I	Matrix (F2)	1		Piedmont Flood	
Stratified	Layers (A5)		Depleted Matrix	(F3)			(MLRA 136, 147	
2 cm Muc	k (A10) (LRR N)		Redox Dark Sur	face (F6)			Very Shallow Da	rk Surface (TF12)
Depleted	Below Dark Surface (A	A11)	Depleted Dark	Surface (F	7)		Other (Explain in	
☐ Thick Dar	k Surface (A12)		Redox Depressi	ions (F8)				,
Sandy Mu MLRA 147	ıck Mineral (S1) (LRR I 7, 148)	N,	Iron-Manganes MLRA 136)	e Masses (F12) (LRR	N,		
	eyed Matrix (S4)		Umbric Surface	(F13) (ML	.RA 136, 12	22)		
Sandy Re			☐ Piedmont Flood	lplain Soils	(F19) (ML	RA 148)	³ Indicators o	f hydrophytic vegetation and drology must be present,
Stripped I	Matrix (S6)		Red Parent Mat	terial (F21)	(MLRA 12	7, 147)		listurbed or problematic.
Postrictivo I	ayer (if observed):							
Type:	ayer (ii observeu).							
Depth (inc							Hydric Soil Present?	Yes O No 💿
	1103)							
Remarks:	dik							
Hyaric soil inc	dicators were not o	bservea.						

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Luck Edgefield		City/County: Clarks H	lill/Edgefield	Sampling Dat	e: 17-Jan-23
Applicant/Owner: Luck Companies	S	Sta	ate: SC	Sampling Point:	WET F-WET
Investigator(s): Chris Daves, P.W.	SS&ME, Inc.	Section, Township, Ra	ange: S	т	R
Landform (hillslope, terrace, etc.):	Base of hillslope	Local relief (concave, c	onvex, none):	concave Slope	:0.0%//
Subregion (LRR or MLRA): MLR	A 136 in LRR P Lat.:	33.6219	Long.: -82	.0958	Datum: NAD83
Soil Map Unit Name: Wateree Sa				VI classification: Uplar	nd
Are climatic/hydrologic conditions	on the site typical for this time of ye	ar? Yes • No O	(If no, explain	in Remarks.)	
Are Vegetation, Soil	, or Hydrology 🔲 significant	ly disturbed? Are	'Normal Circums	stances" present? Ye	es 💿 No 🔾
Are Vegetation $\ \ \Box$, Soil $\ \ \Box$, or Hydrology 🔲 naturally p	roblematic? (If n	eeded, explain a	nny answers in Remarks	.)
Summary of Findings - A	Attach site map showing s	ampling point lo	cations, trai	nsects, important	t features, etc.
Hydrophytic Vegetation Present?	Yes No				
Hydric Soil Present?	Yes No	Is the Sample	Area Yes	No O	
Wetland Hydrology Present?	Yes $lacktriangle$ No $lacktriangle$	within a Wetla	nd?	110 ©	
Remarks:		1			
Data point taken on the edge of	Wedahu G.				
Hydrology					
Wetland Hydrology Indicators:			Seconda	ary Indicators (minimum of	two required)
	one required; check all that apply)			ace Soil Cracks (B6)	
Surface Water (A1)	☐ True Aquatic Plants			rsely Vegetated Concave Su	ırface (B8)
High Water Table (A2)	☐ Hydrogen Sulfide C	` ,		nage Patterns (B10)	
✓ Saturation (A3) Water Marks (B1)		eres along Living Roots (C3	· —	s Trim Lines (B16)	
Sediment Deposits (B2)	Presence of Reduc	tion in Tilled Soils (C6)		Season Water Table (C2) rfish Burrows (C8)	
Drift deposits (B3)	☐ Thin Muck Surface	, ,		rration Visible on Aerial Ima	gery (C9)
Algal Mat or Crust (B4)	Other (Explain in R	• •		nted or Stressed Plants (D1)	- , . ,
☐ Iron Deposits (B5)	Guier (Explain in R	cina k3)		morphic Position (D2)	,
Inundation Visible on Aerial Imag	gery (B7)			llow Aquitard (D3)	
✓ Water-Stained Leaves (B9)				otopographic Relief (D4)	
Aquatic Fauna (B13)			✓ FAC-	-neutral Test (D5)	
Field Observations:					
Surface Water Present? Yes	,				
Water Table Present? Yes	O No Depth (inches):				
Saturation Present? (includes capillary fringe) Yes	No Depth (inches):	Wetla 2	nd Hydrology Pr	resent? Yes 💿 N	lo O
(includes capillary infige)	gauge, monitoring well, aerial photo	s, previous inspections	, if available:		
2000.100 11000.404 2444 (04.04.11	gaage,eege, aea. pe.e	o, promode inspections,	,		
Remarks:					
Hydrology indicators were observ	ved.				

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Species? ————					Sampling Point: <u>WET F-WET</u>			
	Absolute % Cover	Rel.S	Strat.	Indicator Status	Dominance Test worksheet:			
1 Liquidambar styraciflua	25	✓ _ 5	0.0%	FAC	Number of Dominant Species That are OBL, FACW, or FAC:5(A)			
2. Ulmus americana	25	✓ _ 5	0.0%	FACW	Tabel Namber of Devices to			
3	0		0.0%		Total Number of Dominant Species Across All Strata: 6 (B)			
4			0.0%					
5	0		0.0%		Percent of dominant Species That Are OBL, FACW, or FAC: 83.3% (A/B)			
6	0		0.0%		That Are Obl., FACW, OF FAC.			
7	0	<u> </u>	0.0%		Prevalence Index worksheet:			
8	0	L(0.0%		Total % Cover of: Multiply by:			
Sapling-Sapling/Shrub Stratum (Plot size: 15-ft.)	50	= Total	l Cover		OBL species x 1 =			
1 Ulmus americana	4.5	✓ 6	60.0%	FACW	FACW species <u>60</u> x 2 = <u>120</u>			
Carpinus caroliniana			10.0%	FAC	FAC species $35 \times 3 = 105$			
3			0.0%		FACU species $\underline{5}$ x 4 = $\underline{20}$			
4			0.0%		UPL species $0 \times 5 = 0$			
5			0.0%		Column Totals: <u>100</u> (A) <u>245</u> (B)			
6	_		0.0%		Prevalence Index = B/A = 2.450			
7	=		0.0%		<u> </u>			
8			0.0%		Hydrophytic Vegetation Indicators: Rapid Test for Hydrophytic Vegetation			
9			0.0%		✓ Dominance Test is > 50%			
10			0.0%		✓ Prevalence Index is ≤3.0 ¹			
Shrub Stratum (Plot size: _15-ft)		= Total	l Cover		Morphological Adaptations ¹ (Provide supporting			
1	0		0.0%		data in Remarks or on a separate sheet)			
2.			0.0%		Problematic Hydrophytic Vegetation ¹ (Explain)			
3.			0.0%		¹ Indicators of hydric soil and wetland hydrology must			
4			0.0%		be present, unless disturbed or problematic.			
5			0.0%		Definition of Vegetation Strata:			
6.			0.0%		Four Vegetation Strata:			
7	0		0.0%		Tree stratum – Consists of woody plants, excluding vines, 3 in.			
Herb Stratum (Plot size: <u>5-ft.</u>)		= Total			(7.6 cm) or more in diameter at breast height (DBH), regardless of height.			
	20	✓ 8	00.00/	FACW	Sapling/shrub stratum – Consists of woody plants, excluding			
1. Arundinaria gigantea			30.0% 20.0%	FACU	vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.			
2. Polystichum acrostichoides	0		0.0%	FACU	Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.			
3	0		0.0%		Woody vines – Consists of all woody vines greater than 3.28 ft			
4 5	0		0.0%		in height.			
	0		0.0%					
6			0.0%		Five Vegetation Strata:			
7 8.			0.0%		Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in			
9.	0		0.0%		diameter at breast height (DBH).			
			0.0%		Sapling stratum – Consists of woody plants, excluding woody			
10 11	0	\neg	0.0%		vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.			
12	0	\neg	0.0%		Shrub stratum – Consists of woody plants, excluding woody			
		= Total			vines, approximately 3 to 20 ft (1 to 6 m) in height.			
Woody Vine Stratum (Plot size: 30-ft.)			0.00/		Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody			
1			0.0%		species, except woody vines, less than approximately 3 ft (1			
2			0.0%		m) in height.			
3			0.0%		Woody vines – Consists of all woody vines, regardless of height.			
4			0.0%					
5			0.0%		Hydrophytic			
6			0.0%		Vegetation			
	0	= Iota	l Cover					
Remarks: (Include photo numbers here or on a separate shee Hydrophytic vegetation was observed.	et.)							

Soil Sampling Point: WET F-WET

Profile Descr	iption: (Describe to	the depth	needed to documen	t the indic	cator or co	nfirm the	absence of indicators.)	
Depth	Matrix	Matrix Redox Features						
<u>(inches)</u> 1-5	Color (moist)	100	Color (moist)	%	Type 1	Loc²	Texture	Remarks
-	10YR 5/2						Loamy Sand	
5-20	10YR 5/2		10YR 5/6	_ 5	_ <u>C</u>	M	Sandy Loam	-
							-	-
	-		-				-	
	-						-	
¹ Type: C=Con	centration. D=Depletion	on. RM=Redi	uced Matrix, CS=Cover	ed or Coate	ed Sand Gra	nins ² Loca	ition: PL=Pore Lining. M=M	1atrix
Hydric Soil I			· · · · · · · · · · · · · · · · · · ·					ematic Hydric Soils ³ :
Histosol (Dark Surface (S7)				-
	pedon (A2)		Polyvalue Belo		(S8) (MLRA	147,148)	2 cm Muck (A10)) (MLRA 147)
☐ Black Hist			☐ Thin Dark Surf				Coast Prairie Red	ox (A16)
	Sulfide (A4)		Loamy Gleyed			,	(MLRA 147,148)	
	Layers (A5)		✓ Depleted Matri		,		Piedmont Floodp (MLRA 136, 147)	
	k (A10) (LRR N)		Redox Dark Su	. ,				rk Surface (TF12)
	Below Dark Surface (A	111)	Depleted Dark	. ,	7)			
	k Surface (A12)	111)	Redox Depress		,		Other (Explain in	Remarks)
	ıck Mineral (S1) (LRR N	N	☐ Iron-Mangane	. ,	(F12) (LRR	N,		
MLRA 147	7, 148)	ν,	MLRA 136)					
Sandy Gle	eyed Matrix (S4)		Umbric Surfac	e (F13) (M	LRA 136, 12	22)	3 - 11 .	
Sandy Re	dox (S5)		Piedmont Floo	dplain Soils	s (F19) (MLF	RA 148)	Indicators of wetland hy	hydrophytic vegetation and drology must be present,
Stripped I	Matrix (S6)		Red Parent Ma	iterial (F21) (MLRA 12	7, 147)		isturbed or problematic.
Postrictive I	ayer (if observed):							
Type:	ayer (ii observeu).							
Depth (inc							Hydric Soil Present?	Yes No
	1103)							
Remarks:								
Hydric soil inc	dicators were obser	ved.						

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Luck Edgefield		Ci	ity/County: Clarks Hill/Edge	field S	Sampling Date: 17-Jan-23
Applicant/Owner: Luck Companies			State: S	C Samplir	ng Point: WET J-UP
Investigator(s): Chris Daves, P.W.S.	-S&ME, Inc.	S	Section, Township, Range:	s т	R
Landform (hillslope, terrace, etc.):	Hillslope	Lo	cal relief (concave, convex,	none): concave	Slope: 0.0% / 0.0 °
Subregion (LRR or MLRA): MLRA	136 in LRR P		3 6311 La	ong.: -82.0909	Datum: NAD83
Soil Map Unit Name: Cecil-Pacolet				NWI classifica	
Are climatic/hydrologic conditions o		-	Yes • No O (If no	o, explain in Remarks	<u>.</u>
Are Vegetation, Soil	or Hydrolog ,		•	al Circumstances" pre	, a o
				•	
Are Vegetation	or Hydrolog, ttach site r		, ,	, explain any answers	-
Hydrophytic Vegetation Present?		lo			
Hydric Soil Present?		lo	Is the Sampled Area		
Wetland Hydrology Present?		 No	within a Wetland?	Yes ○ No ●	
Remarks:					
Data point taken outside of the ed	ige of Wetland	I K.			
Hydrology					
Wetland Hydrology Indicators:				Secondary Indicators	(minimum of two required)
Primary Indicators (minimum of o	ne required; ch	neck all that apply)		Surface Soil Crac	ks (B6)
Surface Water (A1)		True Aquatic Plants (B	•	Sparsely Vegetat	red Concave Surface (B8)
High Water Table (A2)		Hydrogen Sulfide Odo	` '	Drainage Pattern	
Saturation (A3)			along Living Roots (C3)	Moss Trim Lines	` '
Water Marks (B1)		Presence of Reduced	` '	Dry Season Wate	
Sediment Deposits (B2) Drift deposits (B3)		Recent Iron Reduction		Crayfish Burrows	• •
Algal Mat or Crust (B4)		Thin Muck Surface (C7	•	Stunted or Stress	e on Aerial Imagery (C9)
Iron Deposits (B5)		Other (Explain in Rem	arks)	Geomorphic Posi	` '
Inundation Visible on Aerial Image	rv (B7)			Shallow Aquitard	
Water-Stained Leaves (B9)	, ,			Microtopographic	
Aquatic Fauna (B13)				FAC-neutral Test	
Field Observations:					
Surface Water Present? Yes	○ No •	Depth (inches):			
Water Table Present? Yes	O No ⊙	Depth (inches):			
Saturation Present? (includes capillary frings) Yes	No ●	Depth (inches):	Wetland Hyd	drology Present?	Yes ○ No •
(includes capillary fringe) Describe Recorded Data (stream g			previous inspections), if ava	nilable:	
Remarks:					
Hydrology indicators were not obs	erved.				

VEGETATION (Five/Four Strata)- Use scientific names of plants.

		—Species? —		Sampling Point: WEI J-UP
	Absolute		Indicator	Dominance Test worksheet:
Tree Stratum (Plot size: <u>30-ft.</u>)	% Cover		Status	Dominance reservoirests
				Number of Dominant Species
1	0	0.0%		That are OBL, FACW, or FAC:1(A)
2	0	0.0%		
		0.0%		Total Number of Dominant
3				Species Across All Strata:2 (B)
4	0	0.0%		
		0.0%		Percent of dominant Species
5				That Are OBL, FACW, or FAC: 50.0% (A/B)
6	0	0.0%		
7	_	0.0%		Prevalence Index worksheet:
8	0	0.0%		Total % Cover of: Multiply by:
	0	= Total Cover		OBL species
Sapling-Sapling/Shrub Stratum (Plot size: 15-ft.				
	•	0.0%		FACW species $0 \times 2 = 0$
1				FAC species $\underline{5}$ x 3 = $\underline{15}$
2	0	0.0%		I
3	0	0.0%		FACU species $\underline{20}$ x 4 = $\underline{80}$
	•			UPL species $0 \times 5 = 0$
4	0			'
5	0	0.0%		Column Totals: <u>25</u> (A) <u>95</u> (B)
	_	0.0%		
6				Prevalence Index = $B/A = \underline{3.800}$
7	0	0.0%		Hydrophytic Vegetation Indicators:
	_	0.0%		l
8		\neg		Rapid Test for Hydrophytic Vegetation
9	0	0.0%		☐ Dominance Test is > 50%
10	0	0.0%		l <u> </u>
10	_			Prevalence Index is ≤3.0 ¹
Shrub Stratum (Plot size: 15-ft.)	0	= Total Cover		Morphological Adaptations ¹ (Provide supporting
	5	✓ 100.0%	FΛC	data in Remarks or on a separate sheet)
1. <u>Liquidambar styraciflua</u>			TAC	l —
2	0	0.0%		☐ Problematic Hydrophytic Vegetation ¹ (Explain)
2	0	0.0%		¹ Indicators of hydric soil and wetland hydrology must
3				be present, unless disturbed or problematic.
4	0	0.0%		be present, unless distarbed of problematici
5		0.0%		Definition of Vegetation Strata:
				Four Vegetation Strata:
6	0	0.0%		1
7	0	0.0%		Tree stratum – Consists of woody plants, excluding vines, 3 in.
		= Total Cover		(7.6 cm) or more in diameter at breast height (DBH), regardless of height.
Herb Stratum (Plot size: <u>5-ft.</u>)		= Total Cover		"
1. Dichanthelium latifolium	20	✓ 100.0%	FACU	Sapling/shrub stratum – Consists of woody plants, excluding
• •			TACO	vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.
2	0	0.0%		Herb stratum – Consists of all herbaceous (non-woody) plants,
3	0	0.0%		regardless of size, and all other plants less than 3.28 ft tall.
				Woody vines – Consists of all woody vines greater than 3.28 ft
4	0			in height.
5.	0	0.0%		I I I I I I I I I I I I I I I I I I I
	0	0.0%		
6				Five Vegetation Strata:
7	0	0.0%		Tree Weeds plants excluding weeds since engressimetals 20
8	_	0.0%		Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in
				diameter at breast height (DBH).
9	0	0.0%		l
10		0.0%		Sapling stratum – Consists of woody plants, excluding woody
		\neg		vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.
11	0	0.0%		` '
12	0	0.0%		Shrub stratum – Consists of woody plants, excluding woody
		= Total Cover		vines, approximately 3 to 20 ft (1 to 6 m) in height.
Woody Vine Stratum (Plot size: 30-ft.)		- Iotal Covei		Herb stratum – Consists of all herbaceous (non-woody) plants,
1	0	0.0%		including herbaceous vines, regardless of size, and woody
1				species, except woody vines, less than approximately 3 ft (1
2	0	0.0%		m) in height.
3	0	0.0%		Woody vines – Consists of all woody vines, regardless of
3				height.
4	0	0.0%		
5	0	0.0%		
• •				Hydrophytic
6	0	0.0%		Vegetation
	0	= Total Cover	,	Present? Yes V NO V
				l
Remarks: (Include photo numbers here or on a separate shee	et.)			
Hydrophytic vegetation was not observed.				
, , . ,				

Soil Sampling Point: WET J-UP

Profile Description: (Describe to	the depth	needed to document the indicator or confirm the	absence of indicators.)		
Depth <u>Matrix</u>		Redox Features	_		
(inches) Color (moist)		Color (moist)%Tvpe_ 1Loc2_	Texture	Remarks	
1-6 10YR 4/3	100		Loamy Sand		
6-20 10YR 5/4	100		Loamy Sand		
			<u> </u>		
¹ Type: C=Concentration. D=Depletion	n. RM=Redi	uced Matrix, CS=Covered or Coated Sand Grains ² Loc	ation: PL=Pore Lining. M=M	atrix	
Hydric Soil Indicators:			Indicators for Proble	umatic Hydric Soile ³ :	
Histosol (A1)		Dark Surface (S7)			
Histic Epipedon (A2)		Polyvalue Below Surface (S8) (MLRA 147,148)	2 cm Muck (A10)		
Black Histic (A3)		☐ Thin Dark Surface (S9) (MLRA 147, 148)	Coast Prairie Redo	ox (A16)	
Hydrogen Sulfide (A4)		Loamy Gleyed Matrix (F2)	(MLRA 147,148)	. 6 11 (510)	
Stratified Layers (A5)		Depleted Matrix (F3)	Piedmont Floodpl (MLRA 136, 147)	ain Soils (F19)	
2 cm Muck (A10) (LRR N)		Redox Dark Surface (F6)	☐ Very Shallow Darl	(Surface (TF12)	
☐ Depleted Below Dark Surface (A	.11)	Depleted Dark Surface (F7)	Other (Explain in		
☐ Thick Dark Surface (A12)	,	Redox Depressions (F8)	Other (Explain in	remarks)	
Sandy Muck Mineral (S1) (LRR N	١,	☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)			
MLRA 147, 148)		☐ Umbric Surface (F13) (MLRA 136, 122)			
Sandy Gleyed Matrix (S4)		Piedmont Floodplain Soils (F19) (MLRA 148)	³ Indicators of	hydrophytic vegetation and	
Sandy Redox (S5) Stripped Matrix (S6)			wetland hydrology must be present, unless disturbed or problematic.		
Suipped Matrix (30)		Red Parent Material (F21) (MLRA 127, 147)	uniess di	sturbed or problematic.	
Restrictive Layer (if observed):					
Type:			Undria Cail Brosont?	Yes O No O	
Depth (inches):			Hydric Soil Present?	Yes ○ No ●	
Remarks:					
Hydric soil indicators were not ol	oserved.				

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Luck Edgefield		с	City/County:	Clarks Hill/Edgef	field	Sampling	Date: 17-Jan-2	3
Applicant/Owner: Luck Compa	inies			State: S0	С	Sampling Point	: WET J-V	VET
Investigator(s): Chris Daves, I	P.W.SS&ME, Inc.		Section, Tow	nship, Range: S	5	т	R	
Landform (hillslope, terrace, et	c.): Base of hills	lope Lo	ocal relief (co	ncave, convex,	none):	concave S	lope: 0.0%	/ _{0.0} °
Subregion (LRR or MLRA):	MLRA 136 in LRR P		3 6311	Lo	na.: -	82.0910	Datum: N	
Soil Map Unit Name: Cecil-Pa			310311		_		 Jpland	
Are climatic/hydrologic conditi		-	? Yes 💿	No (If no		in in Remarks.)		
Are Vegetation, Soil	, or Hydrolog			•		mstances" present?	Yes No	\circ
_ ,						•		
Are Vegetation, Soil	, or Hydrolog	yy 🗌 naturally prol	blematic?	(If needed,	explai	n any answers in Rem	arks.)	
Summary of Findings	- Attach site r	nap showing sar	mpling po	int location	ns, tr	ansects, import	tant feature	s, etc.
Hydrophytic Vegetation Prese	ent? Yes 💿 N	No O						
Hydric Soil Present?	Yes 💿 🛚 1	No O		Sampled Area	Vec (● No ○		
Wetland Hydrology Present?	Yes 💿 🛚 N	No O	within	a Wetland?	103	C 110 C		
Remarks:			<u>"</u>					
Data point taken on the edge	e of Wetland K.							
Hydrology								
Wetland Hydrology Indicators	s:				Seco	ndary Indicators (minimu	m of two required))
Primary Indicators (minimum	n of one required; cl	neck all that apply)			S	urface Soil Cracks (B6)		
Surface Water (A1)		True Aquatic Plants (E	B14)		S	parsely Vegetated Conca	ive Surface (B8)	
✓ High Water Table (A2)		Hydrogen Sulfide Odo	or (C1)		✓ D	rainage Patterns (B10)		
✓ Saturation (A3)		Oxidized Rhizospheres	s along Living F	Roots (C3)	_ M	loss Trim Lines (B16)		
Water Marks (B1)		Presence of Reduced	. ,			ry Season Water Table (C2)	
Sediment Deposits (B2)		Recent Iron Reduction	n in Tilled Soils	(C6)	∐ c	rayfish Burrows (C8)		
Drift deposits (B3)		Thin Muck Surface (C	7)		∟ s	aturation Visible on Aeria	al Imagery (C9)	
Algal Mat or Crust (B4)		Other (Explain in Rem	narks)		∟ s	tunted or Stressed Plants	s (D1)	
Iron Deposits (B5)					G	eomorphic Position (D2)		
Inundation Visible on Aerial 1	magery (B7)				∟ s	hallow Aquitard (D3)		
Water-Stained Leaves (B9)						licrotopographic Relief ([04)	
Aquatic Fauna (B13)					✓ F	AC-neutral Test (D5)		
Field Observations:	′es O No	5 11 (1 1)						
		Depth (inches):						
	′es 🏵 No 🔾	Depth (inches):	2	Wetland Hyd	Irology	Present? Yes •	No O	
Saturation Present? (includes capillary fringe)	'es 💿 No 🔾	Depth (inches):	1	wedana nya	iiology	Present 165 ©	110	
Describe Recorded Data (stre	am gauge, monitori	ng well, aerial photos,	previous insp	ections), if ava	ilable:			
Remarks:								
Hydrology indicators were ob	served.							

VEGETATION (Five/Four Strata)- Use scientific names of plants.

ance Test worksheet:
er of Dominant Species
re OBL, FACW, or FAC: (A)
lumber of Dominant
s Across All Strata: (B)
at of dominant Charles
nt of dominant Species Are OBL, FACW, or FAC: 100.0% (A/B)
ence Index worksheet:
Total % Cover of: Multiply by:
ecies <u>0</u> x 1 = <u>0</u>
pecies <u>60</u> x 2 = <u>120</u>
ecies <u>0</u> x 3 = <u>0</u>
pecies <u>0</u> x 4 = <u>0</u>
ecies <u> </u>
Totals: <u>60</u> (A) <u>120</u> (B)
revalence Index = B/A = 2.000
· — —
phytic Vegetation Indicators:
apid Test for Hydrophytic Vegetation
ominance Test is > 50%
revalence Index is \leq 3.0 ¹
lorphological Adaptations 1 (Provide supporting ata in Remarks or on a separate sheet)
roblematic Hydrophytic Vegetation ¹ (Explain)
cators of hydric soil and wetland hydrology must esent, unless disturbed or problematic.
tion of Vegetation Strata:
/egetation Strata:
atum – Consists of woody plants, excluding vines, 3 in. or more in diameter at breast height (DBH),
ess of height.
/shrub stratum – Consists of woody plants, excluding ess than 3 in. DBH and greater than 3.28 ft (1 m) tall.
ratum – Consists of all herbaceous (non-woody) plants,
ess of size, and all other plants less than 3.28 ft tall.
vines – Consists of all woody vines greater than 3.28 ft
ıt.
(agatation Strata)
egetation Strata:
loody plants, excluding woody vines, approximately 20 or more in height and 3 in. (7.6 cm) or larger in
er at breast height (DBH).
stratum – Consists of woody plants, excluding woody pproximately 20 ft (6 m) or more in height and less
n. (7.6 cm) DBH.
tratum – Consists of woody plants, excluding woody
pproximately 3 to 20 ft (1 to 6 m) in height.
ratum – Consists of all herbaceous (non-woody) plants, ng herbaceous vines, regardless of size, and woody
, except woody vines, less than approximately 3 ft (1
eight.
vines – Consists of all woody vines, regardless of
phytic
ation
nt? Yes © No C

Soil Sampling Point: WET J-WET

Profile Descri	ption: (Describe to	the depth ne	eded to document	the indica	tor or co	nfirm the a	absence of indicators.)	
Denth Matrix Redox Features								
(inches)	Color (moist)	<u>%</u>	Color (moist)	%	Tvpe 1	Loc2	Texture	Remarks
1-20	10GY 6/1	100					Sandy Loam	
							-	
							-	
						-		
1 Tymes C—Cone	ontration D-Donlation	n DM-Dadusa	d Matrix CC-Cayara	d or Costo	d Cand Cra	inc 21 occi	tion, DI —Doro Lining M—Ma	
	· · · · · · · · · · · · · · · · · · ·	n. RM=Reduce	d Matrix, CS=Covere	ed or Coated	a Sand Gra	ins ²Loca	tion: PL=Pore Lining. M=Ma	
Hydric Soil Ir							Indicators for Proble	matic Hydric Soils ³ :
Histosol (A	•		Dark Surface (S	•			2 cm Muck (A10)	(MLRA 147)
Histic Epipe			Polyvalue Below				Coast Prairie Redo	x (A16)
Black Histic			Thin Dark Surfa		LRA 147, 1	48)	(MLRA 147,148)	. ()
	Sulfide (A4)		✓ Loamy Gleyed				Piedmont Floodpla	nin Soils (F19)
Stratified L			Depleted Matrix				(MLRA 136, 147)	
	(A10) (LRR N)		Redox Dark Sui	. ,			Very Shallow Dark	Surface (TF12)
	Below Dark Surface (A	11)	Depleted Dark)		Other (Explain in F	Remarks)
Thick Dark	Surface (A12)		Redox Depress	` '		_		
Sandy Muc MLRA 147,	ck Mineral (S1) (LRR N , 148)	,	Iron-Manganes MLRA 136)	e Masses (F	-12) (LRR I	Ν,		
Sandy Gley	yed Matrix (S4)		Umbric Surface	(F13) (MLF	RA 136, 12	2)	3	
Sandy Red	ox (S5)		Piedmont Floor	dplain Soils	(F19) (MLF	RA 148)	Indicators of r wetland hydi	nydrophytic vegetation and rology must be present,
Stripped M	latrix (S6)		Red Parent Ma	terial (F21)	(MLRA 127	7, 147)		turbed or problematic.
Restrictive La	yer (if observed):							
Type:	yer (ii observed).							
Depth (inch							Hydric Soil Present?	Yes No
Remarks:								
Hydric soil ind	icators were observ	ed.						

Appendix C


Owner Information

Tax Parcel Owner Information

Tax Parcel No.	Owner(s) Name	Owner Address	Site Contact
			Luck Companies
			Mr. Bruce Smith
058-00-00-039-000 (Portion of)	Wilkie	PO Box 1350	Post Office Box 29682
038-00-00-039-000 (FOITIOIT 01)	Development, LLC	Lexington, SC 29071	Richmond, VA 23242
			804-476-6406
			brucesmith@luckcompanies.com

Appendix D

Antecedent Precipitation Tool




Coordinates	33.6267, -82.0951
Observation Date	2023-01-10
Elevation (ft)	246.199
Drought Index (PDSI)	Not available
WebWIMP H ₂ O Balance	Wet Season

30 Days Ending	30 th %ile (in)	70 th %ile (in)	Observed (in)	Wetness Condition	Condition Value	Month Weight	Product
2023-01-10	2.602362	5.505906	5.854331	Wet	3	3	9
2022-12-11	2.097638	3.847638	4.0	Wet	3	2	6
2022-11-11	1.359055	3.174016	3.492126	Wet	3	1	3
Result							Wetter than Normal - 18

SS	Figure and tables made by the Antecedent Precipitation Tool Version 1.0
REGULATORY PRESENT	Written by Jason Deters U.S. Army Corps of Engineers

Weather Station Name	Coordinates	Elevation (ft)	Distance (mi)	Elevation Δ	Weighted Δ	Days Normal	Days Antecedent
CLARKS HILL 1 W	33.6633, -82.1897	399.934	6.0	153.735	3.623	10214	81
MODOC 4.0 ESE	33.7094, -82.143	280.84	4.166	119.094	2.371	45	0
MODOC 1.0 NNE	33.7471, -82.2008	392.06	5.825	7.874	2.667	6	0
EVANS 4.9 WNW	33.5443, -82.2223	395.997	8.433	3.937	3.828	21	0
EVANS 3.0 N	33.5566, -82.1364	334.974	7.985	64.96	4.112	122	7
EVANS 2.1 NNW	33.5418, -82.158	328.084	8.591	71.85	4.483	224	0
APPLING 2.0 SE	33.5298, -82.2873	402.887	10.8	2.953	4.892	18	2
APPLING 2 NW	33.5572, -82.3369	395.997	11.202	3.937	5.085	643	0
MARTINEZ 2.9 WSW	33.5113, -82.1369	426.837	10.933	26.903	5.214	9	0
MARTINEZ 0.7 WSW	33.5152, -82.0988	395.997	11.493	3.937	5.217	21	0
NORTH AUGUSTA 1.7 NNW	33.5413, -81.9634	379.921	15.513	20.013	7.291	7	0
AUGUSTA DANIEL FLD AP	33.4667, -82.0383	410.105	16.14	10.171	7.427	22	0
LINCOLNTON	33.7764, -82.4714	454.068	17.976	54.134	9.062	1	0




Coordinates	33.6267, -82.0951
Observation Date	2023-01-12
Elevation (ft)	246.199
Drought Index (PDSI)	Not available
WebWIMP H₂O Balance	Wet Season

30 Days Ending	30 th %ile (in)	70 th %ile (in)	Observed (in)	Wetness Condition	Condition Value	Month Weight	Product
2023-01-12	2.744488	5.810236	5.673229	Normal	2	3	6
2022-12-13	1.901575	4.054725	3.929134	Normal	2	2	4
2022-11-13	1.092126	3.734646	2.023622	Normal	2	1	2
Result							Normal Conditions - 12

SE S	Figure and tables made by the Antecedent Precipitation Tool Version 1.0
PRODUCTORY PROBLEM	Written by Jason Deters U.S. Army Corps of Engineers

Weather Station Name	Coordinates	Elevation (ft)	Distance (mi)	Elevation Δ	Weighted Δ	Days Normal	Days Antecedent
CLARKS HILL 1 W	33.6633, -82.1897	399.934	6.0	153.735	3.622	10214	81
MODOC 4.0 ESE	33.7094, -82.143	280.84	4.166	119.094	2.371	45	0
MODOC 1.0 NNE	33.7471, -82.2008	392.06	5.825	7.874	2.667	6	0
EVANS 4.9 WNW	33.5443, -82.2223	395.997	8.433	3.937	3.828	21	0
EVANS 3.0 N	33.5566, -82.1364	334.974	7.985	64.96	4.112	122	7
EVANS 2.1 NNW	33.5418, -82.158	328.084	8.591	71.85	4.483	224	0
APPLING 2.0 SE	33.5298, -82.2873	402.887	10.8	2.953	4.892	18	2
APPLING 2 NW	33.5572, -82.3369	395.997	11.202	3.937	5.085	643	0
MARTINEZ 2.9 WSW	33.5113, -82.1369	426.837	10.933	26.903	5.214	9	0
MARTINEZ 0.7 WSW	33.5152, -82.0988	395.997	11.493	3.937	5.217	21	0
NORTH AUGUSTA 1.7 NNW	33.5413, -81.9634	379.921	15.513	20.013	7.291	7	0
AUGUSTA DANIEL FLD AP	33.4667, -82.0383	410.105	16.14	10.171	7.427	22	0
LINCOLNTON	33.7764, -82.4714	454.068	17.976	54.134	9.062	1	0




Coordinates	33.6267, -82.0951
Observation Date	2023-01-17
Elevation (ft)	246.199
Drought Index (PDSI)	Not available
WebWIMP H ₂ O Balance	Wet Season

30 Days Ending	30 th %ile (in)	70 th %ile (in)	Observed (in)	Wetness Condition	Condition Value	Month Weight	Product
2023-01-17	2.901575	5.600394	5.334646	Normal	2	3	6
2022-12-18	2.337008	3.690945	4.858268	Wet	3	2	6
2022-11-18	1.116929	4.311024	2.094488	Normal	2	1	2
Result							Normal Conditions - 14


CORPS OF ENGINEERS	Figure and tables made by the Antecedent Precipitation Tool Version 1.0
REGULATORY PRICES	Written by Jason Deters U.S. Army Corps of Engineers

Weather Station Name	Coordinates	Elevation (ft)	Distance (mi)	Elevation Δ	Weighted Δ	Days Normal	Days Antecedent
CLARKS HILL 1 W	33.6633, -82.1897	399.934	6.0	153.735	3.622	10214	78
MODOC 4.0 ESE	33.7094, -82.143	280.84	4.166	119.094	2.371	45	0
MODOC 1.0 NNE	33.7471, -82.2008	392.06	5.825	7.874	2.667	6	0
EVANS 4.9 WNW	33.5443, -82.2223	395.997	8.433	3.937	3.828	21	0
EVANS 3.0 N	33.5566, -82.1364	334.974	7.985	64.96	4.112	122	9
EVANS 2.1 NNW	33.5418, -82.158	328.084	8.591	71.85	4.483	224	1
APPLING 2.0 SE	33.5298, -82.2873	402.887	10.8	2.953	4.892	18	2
APPLING 2 NW	33.5572, -82.3369	395.997	11.202	3.937	5.085	643	0
MARTINEZ 2.9 WSW	33.5113, -82.1369	426.837	10.933	26.903	5.214	9	0
MARTINEZ 0.7 WSW	33.5152, -82.0988	395.997	11.493	3.937	5.217	21	0
NORTH AUGUSTA 1.7 NNW	33.5413, -81.9634	379.921	15.513	20.013	7.291	7	0
AUGUSTA DANIEL FLD AP	33.4667, -82.0383	410.105	16.14	10.171	7.427	22	0
LINCOLNTON	33.7764, -82.4714	454.068	17.976	54.134	9.062	1	0



Coordinates	33.6267, -82.0951
Observation Date	2023-02-21
Elevation (ft)	246.199
Drought Index (PDSI)	Not available
WebWIMP H ₂ O Balance	Wet Season

30 Days Ending	30 th %ile (in)	70 th %ile (in)	Observed (in)	Wetness Condition	Condition Value	Month Weight	Product
2023-02-21	2.931496	4.202362	7.236221	Wet	3	3	9
2023-01-22	2.69685	5.60315	3.909449	Normal	2	2	4
2022-12-23	2.348425	4.700394	4.913386	Wet	3	1	3
Result							Wetter than Normal - 16



Weather Station Name	Coordinates	Elevation (ft)	Distance (mi)	Elevation Δ	Weighted Δ	Days Normal	Days Antecedent
WAYNESBORO 2 S	33.0714, -82.0072	276.903	38.702	30.704	18.604	10843	90
WAYNESBORO 3.3 SW	33.0601, -82.0573	297.9	3.004	20.997	1.415	38	0
WAYNESBORO 10.9 E	33.0975, -81.8265	289.042	10.615	12.139	4.906	7	0
HEPHZIBAH 5.0 NE	33.3426, -82.0505	244.094	18.905	32.809	9.128	10	0
SOUTH AUGUSTA 4.1 S	33.3593, -82.0413	232.94	19.989	43.963	9.874	5	0
BLYTHE 2.8 SW	33.2621, -82.2303	433.071	18.442	156.168	11.179	11	0
AUGUSTA BUSH FLD AP	33.3653, -81.9636	133.858	20.462	143.045	12.135	439	0